

**刘玲珑**，南京农业大学，农学院作物遗传育种系 教授

联系电话：025-84396628（办） Email: [liulinglong@njau.edu.cn](mailto:liulinglong@njau.edu.cn)

欢迎对水稻功能基因挖掘和鉴定有兴趣的同学报考研究生。

#### 受教育经历

2001年9月—2005年1月 南京农业大学作物遗传育种专业，获农学博士学位

1998年9月—2001年7月 四川农业大学硕士毕业，获农学硕士学位

1994年9月—1998年7月 四川农业大学本科毕业，获农学士学位

#### 研究工作经历

2016年1月-至今 南京农业大学农学院遗传育种系，教授

2013年11月-2015年12月，南京农业大学农学院遗传育种系，副教授

2010年2月-2013年4月，美国俄克拉荷马州立大学，博士后

2008年12月-2010年2月，南京农业大学农学院，副教授

2005年2月-2008年12月，南京农业大学农学院，讲师

#### 主要论著

在 *Plant Physiol*, *Front. Plant Sci.*, *Plant Mol Biol*, *BMC genomics*, *G3*, *GENOME*, *Cereal Chem*, *Bioenergy Res* 等已发表 SCI 文章 70 余篇，RGN 13 篇，中文若干篇，主讲作物育种学等 4 门本科生和研究生（分子作物育种全英文）课程。

#### 部分期刊论文

- 1) Shi C (#), Ren Y (#), **Liu LL** (#), Wang F, Zhang H, Tian P, Pan T, Wang Y, Jing R, Liu T, Wu F, Lin Q, Lei C, Zhang X, Zhu S, Guo X, Wang J, Zhao Z, Wang J, Zhai H, Cheng Z \*, Wan Jianmin\*. 2019. Ubiquitin specific protease 15 has an important role in regulating grain width and size in rice. *Plant Physiol*. Published February 2019. DOI: <https://doi.org/10.1104/pp.19.00065>.
- 2) Tingting Hu, Yunlu Tian, Jianping Zhu, Yunlong Wang, Ruonan Jing, Jie Lei, Yinglun Sun, Yanfang Yu, Jingfang Li, Xiaoli Chen, Xiaopin Zhu, Yuanyuan Hao, **Linglong Liu**, Yihua Wang, Jianmin Wan. OsNDUFA9 encoding a mitochondrial complex I subunit is essential for embryo development and starch synthesis in rice. *Plant Cell Rep* (2018). <https://doi.org/10.1007/s00299-018-2338-x>

- 3) Dejie Fan, Yuqiang Liu, Hongliang Zhang, Jun He, Fengkuan Huang, Suosheng Huang, Biqu Wu, Daoming Liu, Peizheng Wen, **Linglong Liu**, Ling Jiang, Xianian Cheng, Jianmin Wan. Identification and fine mapping of qWBPH11 conferring resistance to whitebacked planthopper (*Sogatella furcifera* Horvath) in rice (*Oryza sativa* L.). *Mol Breeding* (2018) 38: 96. <https://doi.org/10.1007/s11032-018-0846-6>.
- 4) Gen Pan, Yuqiang Liu, Linshan Ji, Xiao Zhang, Jun He, Jie Huang, Zeyu Qiu, Daoming Liu, Zhiguang Sun, Tingting Xu, **Linglong Liu**, Chunming Wang, Ling Jiang, Xianian Cheng, Jianmin Wan. Brassinosteroids mediate susceptibility to brown planthopper by integrating with the salicylic acid and jasmonic acid pathways in rice. *Journal of Experimental Botany*, Volume 69, Issue 18, 14 August 2018, Pages 4433-4442, <https://doi.org/10.1093/jxb/ery223>
- 5) Zhigang Zhao, Chao Zhang, Xi Liu, Yun Lin, **Linglong Liu**, Yunlu Tian, Liangming Chen, Shijia Liu, Jiawu Zhou, Ling Jiang, Dayun Tao, Jianmin Wan. Genetic analysis and fine mapping of a dominant dwarfness gene from wild rice (*Oryza barthii*). *《Plant Breeding》*, 2018, 137 (1) Pages: 50-59.
- 6) Tingting Xu, Yuqiang Liu, Le Zhang, **Linglong Liu**, Chunming Wang, Jinlong Hu, Zhiguang Sun, Gen Pan, Shizhuo Xiao, Jun He, Jie Huang, Zeyu Qiu, Dejie Fan, Ling Jiang, Xianian Cheng, Huqu Zhai, Jianmin Wan. *Plant Breeding*. 2018;137: 698-705. <https://doi.org/10.1111/pbr.12620>
- 7) Shiva O. MAKAJU, Yanqi WU, Michael P. ANDERSON, Vijaya G.KAKANI, Michael W.SMITH, **Linglong Liu**, Hongxu DONG, Dan CHANG. Yield-height correlation and QTL localization for plant height in two lowland switchgrass populations. *Front. Agr. Sci. Eng.* 2018, Vol. 5, Issue (1) : 118-128. <https://doi.org/10.15302/J-FASE-2018201>

- 8) Ziwen Liu<sup>1†</sup>, Zhiyuan Wang<sup>1 †</sup>, Han Gu<sup>1</sup>, Jia You<sup>1</sup>, Manman Hu<sup>1</sup>, Yujun Zhang<sup>1</sup>, Ze Zhu<sup>1</sup>, Yihua Wang<sup>1</sup>, Shijia Liu<sup>1</sup>, Liangming Chen<sup>1</sup>, Xi Liu<sup>1</sup>, Yunlu Tian<sup>1</sup>, Shirong Zhou<sup>1</sup>, Ling Jiang<sup>1</sup>, **Linglong Liu<sup>1,\*</sup>**, and Jianmin Wan<sup>1,2</sup> Identification and Phenotypic Characterization of *ZEBRA LEAF16* Encoding a  $\beta$ -hydroxyacyl-ACP Dehydratase in Rice. 2018, Front. Plant Sci. 9:782. doi: 10.3389/fpls.2018.00782
- 9) Sun L, Wang Y, **Liu LingLong**, Wang C, Gan T, Zhang Z, Wang Y, Wang D, Niu M, Long W, Li X, Zheng M, Jiang L, Wan J. Isolation and characterization of a spotted leaf 32 mutant with early leaf senescence and enhanced defense response in rice. Sci Rep. 2017 Jan 31;7:41846.
- 10) Jia Lyu, Yihua Wang, **Linglong Liu**, Chunming Wang, Yulong Ren, Cheng Peng, Feng Liu, Yunlong Wang, Mei Niu, Di Wang, Ming Zheng, Kunneng Zhou, Shaolu Zhao, Fuqing Wu, Haiyang Wang, Jianmin Wan. A putative plastidial adenine nucleotide transporter, BRITTLE1-3, plays an essential role in regulating chloroplast development in rice (*Oryza sativa* L.) Journal of Plant Biology. 2017, 60 (5) , pp 493–505
- 11) Wuhua Long, Bangning Dong, Yihua Wang, Pengyi Pan, Yunlong Wang, **Linglong Liu**, Xiaoli Chen, Xi Liu, Shijia Liu, Yunlu Tian, Liangming Chen, Jianmin Wan. FLOURY ENDOSPERM8, encoding the UDP-glucose pyrophosphorylase 1, affects the synthesis and structure of starch in rice endosperm. J. Plant Biol. (2017) 60: 513.
- 12) Yun Lin , Zhigang Zhao, Shirong Zhou, **Linglong Liu**, Weiyi Kong , Haiyuan Chen, Wuhua Long, Zhiming Feng, Ling Jiang, Jianmin Wan. Top Bending Panicle1 is involved in brassinosteroid signaling and regulates the plant architecture in rice. Plant Physiology and Biochemistry, 2017,121: 1-13.
- 13) Wang Y, Ren Y, Zhou K, **Liu L**, Wang J, Xu Y, Zhang H, Zhang L, Feng Z, Wang L, Ma W, Wang Y, Guo X, Zhang X, Lei C, Cheng Z and Wan J (2017) WHITE STRIPE LEAF4 Encodes a Novel P-Type PPR Protein

Required for Chloroplast Biogenesis during Early Leaf Development. *Front. Plant Sci.* 8:1116.

- 14) Gan L, Zhu S, Zhao Z, **Liu L**, Wang X, Zhang Z, Zhang X, Wang J, Wang J, Guo X, Wan J. Wax Crystal-Sparse Leaf 4, encoding a  $\beta$ -ketoacyl-coenzyme A synthase 6, is involved in rice cuticular wax accumulation. *Plant Cell Rep.* 2017 Oct;36(10):1655-1666.
- 15) Wang S, Lei C, Wang J, Ma J, Tang S, Wang C, Zhao K, Tian P, Zhang H, Qi C, Cheng Z, Zhang X, Guo X, **Liu L**, Wu C, Wan J. SPL33, encoding an eEF1A-like protein, negatively regulates cell death and defense responses in rice. *J Exp Bot.* 2017 Feb 1;68(5):899-913.
- 16) Chen H, Zhao Z, **Liu L**, Kong W, Lin Y, You S, Bai W, Xiao Y, Zheng H, Jiang L, Li J, Zhou J, Tao D, Wan J. Genetic analysis of a hybrid sterility gene that causes both pollen and embryo sac sterility in hybrids between *Oryza sativa* L. and *Oryza longistaminata*. *Heredity (Edinb).* 2017 Sep;119(3):166-173.
- 17) Zhiguang Sun, Yuqiang Liu, Shizhuo Xiao, Jinlong Hu, Gen Pan, Jun He, Tingting Xu , Jie Huang , Zeyu Qiu, Dejie Fan, Le Zhang , **Linglong Liu** , Ling Jiang , Xianian Cheng, Huqu Zhai , Jianmin Wan. Identification of quantitative trait loci for resistance to rice black-streaked dwarf virus disease and small brown planthopper in rice. *Mol Breeding* (2017) 37:72
- 18) Zhang Z, Zhang F, Cheng ZJ, **Liu LingLong**, Lin QB, Wu FQ, Zhang H, Wang JL, Wang J, GuoXP, Zhang X, Lei CL, Zhao ZC, Zhu SS, Wan JM. Functional characterization of rice CW-domain containing zinc finger proteins involved in histone recognition. *Plant Science.* Volume 263, October 2017, Pages 168-176.
- 19) Wang Y<sup>1</sup>, Wang D<sup>1</sup>, Gan T<sup>1</sup>, **Liu L**<sup>1</sup>, Long W<sup>1</sup>, Wang Y<sup>1</sup>, Niu M<sup>1</sup>, Li X<sup>1</sup>, Zheng M<sup>1</sup>, Jiang L<sup>1</sup>, Wan J<sup>2\*</sup>. CRL6, a member of the CHD protein family, is required for crown root development in rice. *Plant Physiol Biochem.* 2016 Aug;105:185-94. doi: 10.1016/j.plaphy.2016.04.022. Epub

2016 Apr 13.

- 20) Shaolu Zhao, Wuhua Long, Yihua Wang, **Linglong Liu**, Yunlong Wang, Mei Niu, Ming Zheng, Di Wang, Jianmin Wan\*. A Rice White-stripe leaf3 (wsl3) Mutant Lacking an HD Domain-containing Protein Affects Chlorophyll Biosynthesis and Chloroplast Development. Journal of Plant Biology. June 2016, Volume 59, Issue 3, pp 282–292
- 21) Yu Y<sup>1</sup>, Zhao Z<sup>1</sup>, Shi Y<sup>1</sup>, Tian H<sup>1</sup>, **Liu L**<sup>1</sup>, Bian X<sup>1</sup>, Xu Y<sup>1</sup>, Zheng X<sup>2</sup>, Gan L<sup>2</sup>, Shen Y<sup>1</sup>, Wang C<sup>1</sup>, Yu X<sup>1</sup>, Wang C<sup>1</sup>, Zhang X<sup>2</sup>, Guo X<sup>2</sup>, Wang J<sup>2</sup>, Ikehashi H<sup>3</sup>, Jiang L<sup>1</sup>, Wan J<sup>4\*</sup>. Hybrid Sterility in Rice (*Oryza sativa* L.) Involves the Tetratricopeptide Repeat Domain Containing Protein. *Genetics*. 2016 Jul;203(3):1439-51. doi: 10.1534/genetics.115.183848. Epub 2016 May 6.
- 22) Liu Y<sup>1</sup>, Chen L<sup>1</sup>, Liu Y<sup>1</sup>, Dai H<sup>1</sup>, He J, Kang H, Pan G, Huang J, Qiu Z, Wang Q, Hu J, **Liu L**, Chen Y, Cheng X, Jiang L, Wan J<sup>2,3\*</sup>. Marker assisted pyramiding of two brown planthopper resistance genes, Bph3 and Bph27 (t), into elite rice Cultivars. *Rice (N Y)*. 2016 Dec;9(1):27. doi: 10.1186/s12284-016-0096-3. Epub 2016 May 31.
- 23) Duan E, Wang Y, **Liu L**, Zhu J, Zhong M, Zhang H, Li S, Ding B, Zhang X, Guo X, Jiang L, Wan J<sup>4,5\*</sup>. Pyrophosphate: fructose-6-phosphate 1-phosphotransferase (PFP) regulates carbon metabolism during grain filling in rice. *Plant Cell Rep*. 2016 Jun;35(6):1321-31. doi: 10.1007/s00299-016-1964-4. Epub 2016 Mar 18.
- 24) Kong W, Yu X, Chen H, **Liu L**, Xiao Y<sup>1</sup>, Wang Y<sup>1</sup>, Wang C<sup>1</sup>, Lin Y<sup>1</sup>, Yu Y<sup>1</sup>, Wang C<sup>1</sup>, Jiang L<sup>1</sup>, Zhai H<sup>2</sup>, Zhao Z<sup>1</sup>, Wan J<sup>3,4\*</sup>. The catalytic subunit of magnesium-protoporphyrin IX monomethyl ester cyclase forms a chloroplast complex to regulate chlorophyll biosynthesis in rice. *Plant Mol Biol*. 2016 Sep;92(1-2):177-91. doi: 10.1007/s11103-016-0513-4. Epub 2016 Aug 11.
- 25) Xi Liu, Zhigang Zhao, **Linglong Liu**, Yinghui Xiao, Yunlu Tian, Shi-jia Liu, Liangming Chen, Yihua Wang, Yuqiang Liu, Saihua Chen, Wenwei

- Zhang, Chunming Wang, Ling Jiang, Jianmin Wan\*. Construction of chromosomal segment substitution lines and genetic dissection of introgressed segments associated with yield determination in the parents of a super-hybrid rice. *PLANT BREEDING*, February 2016 , Volume 135, Issue 1, Pages 63–72.
- 26) Gan L<sup>1</sup>, Wang X<sup>1</sup>, Cheng Z<sup>1</sup>, **Liu L**<sup>2</sup>, Wang J<sup>1</sup>, Zhang Z<sup>1</sup>, Ren Y<sup>1</sup>, Lei C<sup>1</sup>, Zhao Z<sup>1</sup>, Zhu S<sup>1</sup>, Lin Q<sup>1</sup>, Wu F<sup>1</sup>, Guo X<sup>1</sup>, Wang J<sup>1</sup>, Zhang X<sup>1</sup>, Wan J<sup>3,4\*</sup>. Waxcrystal-sparse leaf 3 encoding a  $\beta$ -ketoacyl-CoA reductase is involved in cuticular wax biosynthesis in rice *Plant Cell Rep.* 2016 Aug;35(8):1687-98. doi: 10.1007/s00299-016-1983-1. Epub 2016 Apr 22.
- 27) Wang C<sup>1</sup>, Wang Y<sup>1</sup>, Cheng Z<sup>2</sup>, Zhao Z<sup>1</sup>, Chen J<sup>2</sup>, Sheng P<sup>2</sup>, Yu Y<sup>1</sup>, Ma W<sup>2</sup>, Duan E<sup>1</sup>, Wu F<sup>2</sup>, **Liu L**<sup>1</sup>, Qin R<sup>2</sup>, Zhang X<sup>2</sup>, Guo X<sup>2</sup>, Wang J<sup>2</sup>, Jiang L<sup>1</sup>, Wan J<sup>3\*</sup>. The role of OsMSH4 in male and female gamete development in rice meiosis. *Journal of Experimental. Botany.* 2016 Mar;67(5):1447-59. doi: 10.1093/jxb/erv540. Epub 2015 Dec 28.
- 28) Dan Chang, Yanqi Wu\*, **Linglong Liu**, Shuiyi Lu-Thames, Hongxu Dong, Carla Goad, Shiqie Bai, Shiva Makaju, and Tilin Fang. Quantitative Trait Loci Mapping for Tillering-Related Traits in Two Switchgrass Populations *THE PLANT GENOME*, July 2016 vol. 9, no. 2. doi:10.3835/plantgenome2016.01.0010
- 29) Liu K(#), **Liu LL (#)**, Ren YL (#), Wang ZQ, Zhou KN, Liu X, Wang D, Zheng M, Cheng ZJ, Lin QB, Wang JL, Wu FQ, Zhang X, Guo XP, Wang CM, Zhai HQ, Jiang L, Wan JM\*. Dwarf and tiller-enhancing 1 regulates growth and development by influencing boron uptake in boron limited conditions in rice. *Plant Sci.* 2015, 236: 18-28.
- 30) Xi Liu (#), **Linglong Liu (#)**, Yinhui Xiao(#), Shijia Liu, Yunlu Tian, Liangming Chen, Zhiquan Wang , Ling Jiang, Zhigang Zhao\* , Jianmin Wan2. Genetic dissection of leaf-related traits for a pioneer two-line rice hybrid using 156 newly constructed chromosomal segment substitution

lines. Journal of Plant Biology. 2015, 58(6): 402-410

- 31) Liping Chen, Zhengzheng Zhong, Weixun Wu, **Linglong Liu**, Guangwen Lu, Mingna Jin, Junjie Tan, Peike Sheng, Dan Wang, Jiachang Wang, Zhijun Cheng, Jiulin Wang, Xin Zhang, Xiuping Guo, Fuqing Wu, Qibing Lin, Shanshan Zhu, Ling Jiang, Huqu Zhai, Chuanyin Wu\*, Jianmin Wan\*. Fine mapping of *DTH3b*, a minor heading date QTL potentially functioning upstream of Hd3a and RFT1 under long-day conditions in rice, Molecular Breeding, 2015, 35:206
- 32) Xiaojing Dang, Thu Giang Tran Thi, Wisdom Mawuli Edzesi, Lijun Liang, Qiangming Liu, Erbao Liu, Yang Wang, Sheng Qiang, **Linglong Liu**\*, and Delin Hong\*. Population genetic structure of *Oryza sativa* in East and Southeast Asia and the discovery of elite alleles for grain traits. Sci Rep. 2015; 5: 11254.
- 33) Huan Zhang, **Linglong Liu**, Maohong Cai, Susong Zhu, Jieyu Zhao, Tianhui Zheng, Xinyang Xu, Zhaoqiong Zeng, Jing Niu, Ling Jiang, Saihua Chen, Jianmin Wan\*. A point mutation of magnesium chelatase CHLI gene dampens the interaction between CHLI and CHLD subunits in rice. Plant Molecular Biology Reporter, 2015, 33(6):1975-1987
- 34) Yilin Chen, **Linglong Liu**, Yingyue Shen, Shijia Liu, Jiexue Huang, Qizhang Long, Wei Wu, Chunyan Yang, Hong Chen, Xiuping Guo, Zhijun Cheng, Ling Jiang, Jianmin Wan\*. Loss of function of the cytochrome P450 gene *CYP78B5* causes giant embryos in rice. Plant Mol Biol Rep, 2015, 33: 69-83.
- 35) Ngo Thi Hang, Lin Qiuyun, **Liu Linglong**, Liu Xi, Liu Shijia, Wang Wenyan, Li Linfang, He Niqing, Liu Zhou, Jiang Ling\*, Wan Jianmin. Mapping QTLs related to rice seed storability under natural and artificial aging storage conditions. Euphytica, 2015, 203:673–681
- 36) Yumin Shen, Zhigang Zhao, Hongyang Ma, Xiaofeng Bian, Yang Yu,

- Xiaowen Yu, Haiyuan Chen, **Linglong Liu**, Wenwei Zhang, Ling Jiang, Jiawu Zhou, Dayun Tao\*, Jianmin Wan\*. Fine mapping of S37, a locus responsible for pollen and embryo sac sterility in hybrids between *Oryza sativa* L. and *O. glaberrima* Steud. *Plant Cell Report.* 2015, 34(11):1885-1897
- 37) Hongxu Dong, Shuiyi Thames, **Linglong Liu**, Michael W. Smith, Liuling Yan, Yanqi Wu\*. QTL Mapping for Reproductive Maturity in Lowland Switchgrass Populations. *BioEnergy Research*, 2015, 8(4):1925-1937.
- 38) Qiangming Liu, Jiancai Qin, Tianwei Li, Erbao Liu, Dejie Fan, Wisdom Mawuli Edzesi, Jianhai Liu, Jianhua Jiang, Xiaoli Liu, Lianjie Xiao, **Linglong Liu**, Delin Hong. Fine Mapping and Candidate Gene Analysis of qSTL3, a Stigma Length-Conditioning Locus in Rice (*Oryza sativa* L.). 2015, *PLoS ONE*, 10(6): e0127938.
- 39) Qiuyun Lin,<sup>1,†</sup> Wenyan Wang,<sup>1,†</sup> Yakun Ren,<sup>1</sup> Yimei Jiang,<sup>1</sup> Ailing Sun,<sup>1</sup> Ying Qian,<sup>1</sup> Yifei Zhang,<sup>1</sup> Niqing He,<sup>1</sup> Ngo Thi Hang,<sup>1</sup> Zhou Liu,<sup>1</sup> Linfang Li,<sup>1</sup> **Linglong Liu**,<sup>1</sup> Ling Jiang,<sup>1,\*</sup> and Jianmin Wan\*. Genetic dissection of seed storability using two different populations with a same parent rice cultivar N22. *Breed Sci.* 2015 Dec; 65(5): 411–419.
- 40) Sheng P, Tan J, Jin M, Wu F, Zhou K, Ma W, Heng Y, Wang J, Guo X, Zhang X, Cheng Z, **Liu L**, Wang C, Liu X, Wan J\*. Albino midrib 1, encoding a putative potassium efflux antiporter, affects chloroplast development and drought tolerance in rice. *Plant Cell Rep.* 2014 Sep;33(9):1581-94.
- 41) Han Wu, Yuqiang Liu, Jun He, Yanling Liu, Ling Jiang, **Linglong Liu**, Chunming Wang, Xianian Cheng, and Jianmin Wan\*. Fine mapping of brown planthopper (*Nilaparvata lugens* Stål) resistance gene Bph28(t) in rice (*Oryza sativa* L.) *Molecular Breeding* 33 (4), 909-918 (2014)
- 42) Yang, XM; Jiang, L; Yang, C; Li, H; **Liu, LL**; Wan, JM\*. Semidwarf gene sdk has pleiotropic effects on rice (*Oryza sativa* L.) plant architecture



- 43) Jiexue Huang, Maohong Cai, Qizhang Long, **Linglong Liu**, Qiuyun Lin, Ling Jiang, Saihua Chen, Jianmin Wan\*. OsLOX2, a rice type I Lipoxygenase, confers opposite effects on seed germination and aging process. Transgenic Res. August 2014, Volume 23, Issue 4, pp 643-655
- 44) Zhengzheng Zhong, Weixun Wu, Hongjun Wang, Liping Chen, **Linglong Liu**, Chunming Wang, Guangwen Lu, Xiangjin Wei, Chuanyuan Yu, Zhigang Zhao, Mingjiang Chen, Yingyue Shen, Xin Zhang, Jiuling Wang, Ling Jiang, Jianmin Wan\*. Fine mapping of a minor-effect QTL *DTH12*, controlling heading date in rice by up-regulating florigen genes under long-day conditions. Mol breeding 2014, Volume 34, Issue 2, pp 311-322
- 45) **Linglong Liu**<sup>(#)</sup>, Shuiyi Lu Thames<sup>(#)</sup>, Yanqi Wu\*. Lowland Switchgrass Plants in Populations Set Completely Outcrossed Seeds Under Field Conditions as Assessed with SSR Markers. BioEnergy Res. 2014, Volume 7, Issue 1, pp 253-259
- 46) Hong Chen, Zhijun Cheng, X.D Ma, H. Wu, Y. Liu, K. Zhou, Y. Chen, W. Ma, Jingcui Bi, Xin Zhang, Xiuping Guo, Jiulin Wang, Cailin Lei, Fuqing Wu, Qibing Lin, Yuqiang Liu, **Linglong Liu**, Ling Jiang\*. A Knockdown Mutation of *YELLOW-GREEN LEAF2* Blocks Chlorophyll Biosynthesis in Rice. Plant Cell Report. 2013, 32(12):1855-67
- 47) **Liu Linglong**<sup>(#)</sup>, Yalin Huang<sup>(#)</sup>, Som Punnuri, Tim Samuels, Yanqi Wu\*, Ram Mali\*. Development and mapping of new EST-SSR markers in switchgrass. Mol Breeding, 2013, 32 (4): 923-931
- 48) **Linglong Liu**, and Yanqi Wu\*. Development of a genome-wide multiple duplex-SSR protocol and its applications for the identification of selfed progeny in switchgrass. BMC genomics, 2012, 13:522.

- 49) **Linglong Liu**, Yanqi Wu\*, Yunwen Wang, Tim Samuels. A High Density SSR-Based Genetic Linkage Map of Switchgrass. *G3: Genes, Genomes, Genetics*. 2012, .2(3): 350-357.
- 50) **Linglong Liu** and Yanqi Wu\*. Identification of a Selfing Compatible Genotype and Mode of Inheritance in Switchgrass. *BioEnergy Research* 2012, 5: 662-668
- 51) Wei Xiangjin, **Linglong Liu**, Junfeng Xu, Ling Jiang, Wenwei Zhang, Jiankang Wang, Huqu Zhai, Jianmin Wan\*. Breeding strategies for optimum heading date using genotypic information in rice. *Mol Breeding*. 2010, 25:287–298
- 52) **Linglong Liu**<sup>(#)</sup>, Xiaodong Ma<sup>(#)</sup>, Shijia Liu, Changlan Zhu, Ling Jiang, Yihua Wang, Yi Shen, Yulong Ren, Hui Dong, Liangming Chen, Xi Liu, Zhigang Zhao, Huqu Zhai and Jianmin Wan\*. Identification and characterization of a novel Waxy allele from a Yunnan rice landrace. *Plant Mol Biol* 2009, 71:609–626
- 53) **Linglong Liu**<sup>(#)</sup>, X. Y. Yan<sup>(#)</sup>, L. Jiang, W. W. Zhang, M. Q. Wang, S. R. Zhou, Y. Shen, Y.Y. Shen, S. J. Liu, L. M. Chen, J. K. Wang, J. M. Wan\*. Identification of stably-expressed quantitative trait loci for cooked rice elongation in non-Basmati varieties. *Genome*, 2008,51, (2):104-112
- 54) Shen Y, Zhang Y, Yang C, Lan Y, **Liu L**, Liu S, Chen Z, Ren G, Wan J. Mutation of OsALDH7 causes a yellow-colored endosperm associated with accumulation of oryzamutic acid A in rice. *Planta*. 2012, 235(2):433-441
- 55) Wang ZQ, Yu C, Liu X, Liu S, Yin C, **Liu L**, Lei J, Jiang L, Yang C, Chen L, Zhai H, Wan J. Identification of Indica rice chromosome segments for the improvement of Japonica inbreds and hybrids. *Theor Appl Genet*. 2012, 124(7):1351-1364.

- 56) Chen HM, Zhao ZG, Jiang L, Wan XY, **Liu LL**, Wu XJ, Wan JM. Molecular genetic analysis on percentage of grains with chalkiness in rice (*Oryza sativa* L.). *African J of biotechnol.* 2011, 10: 6891-6903
- 57) Zhou S, Wang Y, Li W, Zhao Z, Ren Y, Wang Y, Gu S, Lin Q, Wang D, Jiang L, Su N, Zhang X, **Liu L**, Cheng Z, Lei C, Wang J, Guo X, Wu F, Ikehashi H, Wang H, Wan J. Pollen semi-sterility1 encodes a Kinesin-1-like protein important for male meiosis, anther dehiscence, and fertility in rice. *Plant Cell.* 2011, 23(1):111-129.
- 58) Zhang Ying-Xin, Qi Wang, Ling Jiang, **Ling-Long Liu**, Bao-Xiang Wang, Ying-Yue Shen, Xia-Nian Cheng and Jian-min Wan. Fine mapping of qSTV11KAS, a major QTL for rice stripe disease resistance. *Theor Appl Genet.* 2011, 122(8):1591-604
- 59) Zhang Ying-Xin, Qi Wang, Ling Jiang, Bao-Xiang Wang, **Ling-Long Liu**, Ying-Yue Shen, Xia-Nian Cheng, and Jian-Min Wan Detection and fine mapping of two quantitative trait loci for partial resistance to stripe virus in rice (*Oryza sativa* L.) *Molecular Breeding* 30 (3), 1379-1391 (2012).
- 60) Bian JM, Jiang L, **Liu LL**, Wei XJ, Xiao YH, Zhang LJ, Zhao ZG, Zhai HQ, Wan JM. Construction of a new set of rice chromosome segment substitution lines and identification of grain weight and related traits QTLs. *Breeding Sci*, 2010, 60 (4): 305-313
- 61) Zhang Y. X., L. Jiang, **L. L. Liu**, B. X. Wang, Y. Y. Shen, Q. Wang, X. N. Cheng, and J. M. Wan. Quantitative Trait Loci Associated with Resistance to Rice Stripe Virus and Small Brown Planthopper Infestation in Rice. *Crop Sci*, 2010, 50: 1854-1862
- 62) Chen Liangming , Zhigang Zhao, Xi Liu, **Linglong Liu**, Ling Jiang, Shijia Liu, Wenwei Zhang, Yihua Wang, Yuqiang Liu and Jianmin Wan. Marker-assisted breeding of a photoperiod-sensitive male sterile japonica

- rice with high cross-compatibility with indica rice. *Molecular Breeding*. 2010, 27: 247-258
- 63) Bian Jianmin, Ling Jiang, **Longling Liu**, Yuehua Xiao, Zhiquan Wang, Zhigang Zhao, Huqu Zhai, and Jianmin Wan. Identification of Japonica Chromosome Segments Associated with Heterosis for Yield in Indica × Japonica Rice Hybrids. *Crop Sci*. 2010, 50:2328–2337
- 64) Yingyue Shen, **Linglong Liu**, Ling Jiang, Yingxing Zhang, Xiaolu Liu, Huqu Zhai and Jianmin Wan. Identification of Quantitative Trait Loci Affecting Grain Fat Content in Rice (*Oryza sativa* L.). *Cereal Chem*. 2010, 87(2):118–124.
- 65) Wang Y, Zhong ZZ, Zhao ZG, Jiang L, Bian XF, Zhang WW, **Liu LL**, Ikehashi H, Wan JM. Fine mapping of a gene causing hybrid pollen sterility between Yunnan weedy rice and cultivated rice (*Oryza sativa* L.) and phylogenetic analysis of Yunnan weedy rice. *Planta*. 2010, 231(3):559-70.
- 66) Zhou L, Chen L, Jiang L, Zhang W, **Liu L**, Liu X, Zhao Z, Liu S, Zhang L, Wang J, Wan J. Fine mapping of the grain chalkiness QTL qPGWC-7 in rice (*Oryza sativa* L.). *Theor Appl Genet*. 2009, 118:581–590.
- 67) Wang Ren, Wenbiao Shen, **Linglong Liu**, Ling Jiang, Yuqiang Liu, Ning Su and Jianmin Wan. A novel lipoxxygenase gene from developing rice seeds confers dual position specificity and responds to wounding and insect attack. *Plant Mol Biol*. 2008, 66 (3): 401-414.
- 68) Zhang WW., J. C. Bi, L. M. Chen, L. N. Zheng, S. L. Ji, Y. M. Xia, K. Xie, Z. G. Zhao, Y. H. Wang, **L. L. Liu**, L. Jiang, J. M. Wan. QTL mapping for crude protein and protein fraction contents in rice (*Oryza sativa* L.). *Journal of Cereal Science*, 2008, 48, 539-54.
- 69) Wang HL., W.W. Zhang, **L.L. Liu**, Y.Y. Shen, J.K. Wang, L. Jiang, H.Q.

- Zhai, J.M.Wan, Dynamic QTL analysis on fat content and fat index in rice (*Oryza sativa* L.). *Cereal Chemistry* 2008, 85: 769-775.
- 70) Zhao ZG, Jiang L, Zhang WW, Yu CY, Zhu SS, Xie K, Tian H, **Liu LL**, Ikehashi H, Wan JM. Fine mapping of S31, a gene responsible for hybrid embryo-sac sterility in rice (*Oryza sativa* L.) *Planta*, 2007, 226: 1087-1096.
- 71) Li WC, Jiang L, Zhou SR, Wang CM, **Liu LL**, Chen LM, Ikehashi H, Wan JM. Fine mapping of pss1, a pollen semi-sterile gene in rice (*Oryza sativa* L.). *Theor Appl Genet.*, 2007, 114: 939-946.
- 72) Xue Y, J.M. Wan, L. Jiang, **L.L. Liu**, N. Su, H.Q.Zhai, J.F. Ma. QTL analysis of aluminum resistance in rice (*Oryza sativa* L.). *Plant and Soil*, 2006, 287:375-383.
- 73) Xue Y, JM Wan, CM Wang, L Ling, **LL Liu**, YM Zhang, HQ Zhai. Identification of quantitative trait loci associated with aluminum tolerance in rice (*Oryza sativa* L.). *Euphytica*, 2006, 150(1-2):37-45.
- 74) **Liu LL**, Zhai H Q, Wan J M. The accumulation of gamma-aminobutyric acid in giant-embryo rice grain in relation to glutamate decarboxylase activity and its gene expression during water soaking. *Cereal Chemistry*. 2005, 82 (2): 191-196

专著

- 1) **Liu Linglong\***, and Yanqi Wu. 2014. Switchgrass- Molecular genetics and molecular breeding for bioenergy traits. In “Compendium of Bioenergy Plants: Switchgrass” (ISBN 978-1466596368). Edited by H. Luo and Y. Wu. CRC Press of Taylor and Francis Group (Florida, USA). pp189-213
- 2) 万建民, **刘玲珑**, 程治军, 雷财林. 水稻遗传育种新技术. In: 万建民主编, 中国水稻遗传育种与品种系谱 (1986-2005), 北京: 中国农业出版社, 2010